

# The conservation history of the Baviaanskloof

1


Japie Buckle



#### **Content**

Location and Extent Pre 1923 – Khoi-San & "Crown Land" Management since 1923 – Dept. of Forestry 1970's – Water catchment area 1987 - 1994: Cape Nature Conservation and **ECNC** 2002 – Baviaanskloof Mega Reserve idea 2004 World Heritage Site status

#### Map 1. Location of Eastern Cape Parks Board Baviaanskloof Reserve Cluster; including the Baviaanskloof Nature Reserve, Groendal Nature Reserve and Formosa Nature Reserve (The Island Nature Reserve situated in Port Elizabeth is part of the region but is not shown)



#### Location and Extent

Cluster made up of 3 Nature Reserves

 Baviaanskloof NR (Western, Cockscomb, Kouga sections)
 Groendal NR
 Formosa NR (Tsitsikamma mountains) - 45 175ha

Baviaanskloof NR
 Groendal NR
 TOTAL Area

211 476ha <u>45 428</u> 256 904ha

#### **Conservation Prehistory**

- Past 20 000 years San (Bushmen) huntergatherers lived in caves and rock shelters – many rock paintings in the area as proof
- Some 2000 years ago Khoi pastoralist settled in the region
- First European farmers arrived around 1817 in the Kloof – cultivation of floodplains and livestock grazing

#### Pre - 1923

 Mountainous areas was declared "Crown Land" - no management
 Open land available for grazing by neighboring landowners


#### **Period from 1923 - 1970**

- Crown Land was Declared as the Baviaanskloof Forest Reserve and managed by the then Department of Forestry with a Forester stationed at Prince Albert
- The first Forester in the Baviaanskloof was appointed at Studtis in the 1930's
- Interventions was limited to reconnaissance, impounding stray livestock and controlling fires

Period 1970 to April 1987
 Status of Forest Reserve –managed by the Dept. of Environment and Forestry as a Mountain Catchment Area

During 1977 parcels of land along the Kouga River was purchased and transferred to the Dept. to be managed as mountain catchment.

During this period more staff was appointed to managed the area.



Period 1970 to April 1987
 Main management activities during this period included the making of firebreaks for the purpose of rotational block burning scheme to reduce fire hazards.

Foresters also embarked on the building of a road network into the mountains to make the area more accessible.

A program to control Alien invasive plants also started during this period – Black wattle, Hakea, Pines and Nerium oleander.



## Kouga Dam was completed in 1967

From 1 April 1987 control was transferred to the Provincial Administration of the Cape of Good Hope, and the area was managed by Cape Nature Conservation until 1994, when control was transferred to the Eastern Cape Department of Economic Affairs, Environment and Tourism

These departments were the driving force behind the consolidation and expansion of the Baviaanskloof protected area to form the Mega Reserve which comprises both formal protected areas and privately owned land.

A program of land purchase began in 1986, and with the assistance of funds from the World Wildlife Fund, SAA, the African Wildlife Heritage Trust, the Willow Trust, the Wilderness Leadership School and the Brodie Family, some 15 322 ha of land were purchased and a further 4 338 ha acquired by the State. Subsequently further land was purchased


- Main management objectives during this period:
- Managed the catchment for good quality water production including natural fire management
- Removal of Alien Invasive plants (70% of budget) and domesticated animals (donkeys and cattle)
- Managed the area as a Wilderness Area for recreational use by the public





#### Slot canyons





#### Definition of a wilderness area

"Large areas of unmodified or slightly modified land retaining its natural character and influence, which is protected and managed so as to preserve its natural condition."

As defined in the 7<sup>th</sup> World Wilderness Congress proceedings

Period 1987 to 1994 Main management objectives during this period: Re-introduction of game that used to occur in the area e.g. Mountain Zebra in 1990 Eland in 1989 Red Hartebeest in 1991



### **Period 1994 to 2004**


- Baviaanskloof Nature Reserve managed by Dept. of Economic Affairs, Environment & Tourism – E. Cape Prov. Govt.
- 2002 Project Management Unit WF
- Sections managed according to wilderness principles
- Reduction in management budget
- Introduction of Buffalo into the core Wilderness area
- Access road deteriorated





 Period 2004 to present
 In June 2009 the Eastern Cape Parks & Tourism Agency took responsibility for the management and further development of the Mega-Reserve landscape initiative
 Stewardship program

- Strategic Management plan produced by the PMU
- Introduction of Black Rhino require intense monitoring
- Outsourcing of tourism facilities.



BAVIAANSKLOOF RESERVE CLUSTER CONSERVATION DEVELOPMENT FRAMEWORK: Draft 1 February 2007



Dath C2P. III Primary 2001. Presamilies Avante Distance Barcagentical Baya Passive PMU.

Photected Alvese		Reserve MitashiwCare		
SHIP Notice PA			Cologo I chiefe	
Differ Reserved			Den-oracles	
To-constructioned Course Section			Child & Lawrence	
Roots and Traste			POLCINE	
Mere grotel was (FLD)		*	Today Service	
Millio grave tool			Generation	
Parent dal rautes Managhan Tratto - subspect			Constant	
			Barragen Inuce	
Thereister			the open plan.	
Drive Areas		D	767 month	
· Ways			ENTRy No.441	
A . 1mt		+	(Introduced	
fowwardsteel				
Map (two)	Space V	Angeneri (kerkys		
-			and relation	
Channa	0.6			

PROPERTY.

DISPUT.

#### DESCRIPTION

survey and sharehold which is one ing any information of the second network of the second s toted hardow of varys, vary a want or have eithe. Additions include hiding on recoleting when hird maintring reason

Competency too to be a series of the series es providing a predicemently with Character and "Witherment" experiences to I does not portally with a three for logarithmeter de dermann. Annue tempole, relationships due due of the port for the relativity or other wedge paths. Thereperient week to apper the register for points for some the relativity of the formation of antiping of policy and the relativity for an effective in Lindon Linds AHDA Locked remains between proper admitted useful induce In brid substray. He medianized scores, and brow no linear care of service assessments for

Accione Names Aces where an a protocontrol is which any out of a site, but will protoch families, with agent is information for a site of a site o on the witherness, managers,

The bins provide in a data or default is incompared in a table and reflex, with one information optimal part is introduced in the second state of OVE1

The Department is a time of the system and the system of t all Mary

Special Zine - Privately served land marks symposizy autour/ded to the testine service. Aprovments tooleast sumer and COP9 essential in order to tratigate models on the Netwine and effectively. Network possible, the and wrotes,

Special Devis. Area served the Scope der and which is surveyed by the Damase regarise local or behalf of DAAF. Prevailion of agreements because 01 and 802% repropress to manage assists and source adjustes.

Record Drive. HTD have also what an addocate the native washed and see transported multiply optimized. Co-management generates between MTD and LDPB selected for effective for and web th management. NTVICTOR





C Copyright Cavendish Press

**Current research and rehabilitation projects** on Conservation and Private land

Spekboom project

Restoration of the Alluvial "fans" of tributaries entering the Baviaanskloof River – Living Lands

Rehabilitation of the wetlands in the floodplains of the main truck of the Bavaainskloof River

18/02/2012 17:08

17/08/2011 08:08

